

SIJAJ VEZIVA PRI 60°

SINT 742-G	SINT 742-M	SIJAJ (^60°)	KATEGORIJA
100%	0	>90%	SIJAJ
60%	40%	65% - 90%	POLSIJAJ
50%	50%	50% - 65%	SATIN
40%	60%	40% - 50%	SATIN
30%	70%	20% - 40%	POLMAT
20%	80%	10% - 20%	POLMAT
0	100%	<10%	MATT

SINT 744-G	SINT 744-M	SIJAJ (^60°)	KATEGORIJA
100%	0	>75%	SIJAJ
75%	25%	50% - 75%	POLSIJAJ
50%	50%	20% - 40%	SATIN
25%	75%	10% - 20%	POLMAT
0	100%	<10%	MATT

PUR 800-G	PUR 800-M	SIJAJ (^60°)	KATEGORIJA
100%	0	>95%	SIJAJ
75%	25%	85% - 95%	SIJAJ
50%	50%	75% - 85%	POLSIJAJ
40%	60%	60% - 75%	SATIN
25%	75%	40% - 50%	SATIN
0	100%	<10%	MATT

PUR 840-G	PUR 840-M	SIJAJ (^60°)	KATEGORIJA
100%	0	>90%	GLOSS
70%	30%	70% - 90%	SEMI-GLOSS
50%	50%	40% - 70%	SATIN
30%	70%	20% - 40%	SATIN
0	100%	<20%	MATT

ACRYL 173G	ACRYL 173M	SIJAJ (^60°)	KATEGORIJA
100%	0	80% - 90%	SIJAJ
80%	20%	70% - 80%	POLSIJAJ
60%	40%	30% - 40%	SATIN
40%	60%	10% - 15%	POLMAT
20%	80%	3% - 8%	MATT
0	100%	1% - 5%	MATT

ACRY-PUR 901-G	ACRY-PUR 901-M	E-9005 (volumen)	SIJAJ(^60°)	KATEEGORIJA
100%	0	3:1	>94%	SIJAJ
70%	30%	3:1	85% - 90%	POLSIJAJ
50%	50%	3,5:1	70% - 85%	SATIN
30%	70%	4:1	30% - 55%	SATIN
0	100%	5:1	<15%	MAT

SIJAJ VEZIVA KOT PROZORNEGA LAKA PRI 60°

PUR 800G	PUR 800S	PUR 800M	ADDITIU UV	E-9005 (volumen)	SIJAJ (^60°)	KATEGORIJA
100%	0	0	3%	2,5:1	>94%	SIJAJ
75%	0	25%	3%	2,5:1	85% - 95%	SIJAJ
50%	0	50%	3%	2,5:1	65% - 75%	SATIN
0	100%	0	3%	2,5:1	40% - 60%	SATIN
40%	0	60%	3%	2,5:1	40% - 50%	SATIN
25%	0	75%	3%	2,5:1	15% - 25%	SATIN
0	50%	50%	3%	2,5:1	10% - 20%	MATT
0	0	100%	3%	2,5:1	<15%	MATT

ACRY-PUR 901G	ACRY-PUR 901M	ADDITIU UV	E-9005 (volumen)	SIJAJ (^60°)	KATEGORIJA
100%	0	3%	2,2:1	>94%	SIJAJ
70%	30%	3%	2,6:1	85% - 90%	POLSIJAJ
50%	50%	3%	2,9:1	70% - 85%	SATIN
30%	70%	3%	3,1:1	30% - 55%	SATIN
0	100%	3%	3,5:1	<10%	MATT